Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 3 of 13

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Original) A quinoxaline derivative represented by general [formula 1]:

[formula 1]

$$R_1$$
 R_2
 R_3
 R_4

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

2. (Original) A quinoxaline derivative represented by general [formula 2]:

$$R_1$$
 R_2 R_3 R_4 R_5

[formula 2]

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R8 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 4 of 13

3. (Original) A quinoxaline derivative represented by general [formula 3]:

[formula 3]

$$R_1$$
 R_2
 R_3
 R_4
 R_5

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

4. (Original) A quinoxaline derivative represented by general [formula 4]:

[formula 4]

$$\begin{array}{c|c} & R_1 \\ & & \\ X & N & \\ & &$$

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 5 of 13

5. (Original) A quinoxaline derivative represented by general [formula 5]:

[formula 5]

$$R_1$$
 R_2
 R_3
 R_4
 R_4
 R_5
 R_8
 R_7

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R8 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

6. (Currently Amended) The quinoxaline derivative according to any one of Claims 1 to 5, wherein the quinoxaline derivatives comprising the heterocyclic group represented by general [formula 6]:

(wherein A represents S or O.)

7. (Original) An organic semiconductor device comprising a quinoxaline derivative represented by general [formula 1]:

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 6 of 13

[formula 1] $\begin{array}{c} R_1 & R_2 \\ R_3 & R_3 \end{array}$

 \dot{R}_5

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

8. (Original) An organic semiconductor device comprising a quinoxaline derivative represented by general [formula 2]:

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R8 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

9. (Original) An organic semiconductor device comprising a quinoxaline derivative represented by general [formula 3]:

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 7 of 13

[formula 3]

$$R_1$$
 R_2
 R_3
 R_4
 R_5

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

10. (Original) An organic semiconductor device comprising a quinoxaline derivative represented by general [formula 4]:

[formula 4]

$$R_1$$
 R_2
 R_3
 R_4

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 8 of 13

11. (Original) An organic semiconductor device comprising a quinoxaline derivative represented by general [formula 5]:

$$R_1$$
 R_2
 R_3
 R_4
 R_4
 R_5
 R_6

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R8 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

12. (Currently Amended) The organic semiconductor device comprising the quinoxaline derivative according to any one of Claims 7 to 11, wherein the quinoxaline derivative comprising heterocyclic group represented by general [formula 6]:

[formula 6]

(wherein A represents S or O.)

13. (Original) An electroluminescent device according to any one of Claims 6 to 12, wherein the quinoxaline derivatives are used as an electron transporting material.

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291 : November 13, 2003

: 9 of 13 Page

Filed

14. (Original) An electroluminescent device according to any one of Claims 6 to 12, wherein the quinoxaline derivatives are used as a hole blocking material.

15. (Original) An electroluminescent device comprising a light-emitting layer comprising a quinoxaline derivative represented by general [formula 1] and a guest material:

[formula 1]

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

16. (Original) An electroluminescent device comprising a light-emitting layer comprising a quinoxaline derivative represented by general [formula 2] and a guest material:

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R8 represent individually hydrogen, an

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 10 of 13

alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

17. (Original) An electroluminescent device comprising a light-emitting layer comprising a quinoxaline derivative represented by general [formula 3] and a guest material:

[formula 3]

$$R_1$$
 R_2
 R_3
 R_4
 R_4

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

18. (Original) An electroluminescent device comprising a light-emitting layer comprising a quinoxaline derivative represented by general [formula 4] and a guest material:

[formula 4]

$$R_1$$
 R_2
 R_3
 R_4

Applicant: Satoko Shitagaki et al.

Serial No.: 10/706,291

Filed: November 13, 2003

Page : 11 of 13

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

19. (Original) An electroluminescent device comprising a light-emitting layer comprising a quinoxaline derivative represented by general [formula 5] and a guest material:

[formula 5]

$$\begin{array}{c|c} R_2 \\ R_1 \\ \hline \\ R_4 \\ R_5 \\ \hline \\ R_7 \\ \end{array}$$

(wherein X and Y represent alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group, and R1 to R6 represent individually hydrogen, an alkyl group, an alkoxyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.)

20. (Currently Amended) The electroluminescent device according to any one of Claims 19 to 23, the electroluminescent device comprising:

a light-emitting layer containing a guest material; and quinoxaline derivatives,

wherein the quinoxaline derivatives comprising heterocyclic group represented by general [formula 6]:

Applicant: Satoko Shitagaki et al.


Serial No.: 10/706,291

Filed: November 13, 2003

Page : 12 of 13

[formula 6]

Attorney's Docket No.: 12732-174001 / US6725



(wherein A represents S or O.)

21. (Original) An electroluminescent device according to any one of Claims 15 to 20, the guest material is a phosphorescent material.